

# Model : TM580

**7" 5in1 Tester Monitor (Up to 5MP)**



## Key Features


### Features

- 1) New 7-inch IPS touch screen CCTV tester, 1920\*1200 resolution.
- 2) New- 5MP TVI test, 2592x1944 20FPS, 4xzoom , video record and playback, coaxial PTZ control ,UTC Control and call camera OSD menu;
- 3) 5MP AHD test, 2592x1944 20FPS, 4xzoom , video record and playback , coaxial PTZ control ,UTC Control and call camera OSD menu
- 4) 5MP CVI test, 2592x1944 20FPS, 4xzoom , video record and playback , coaxial PTZ control,UTC Control and call camera OSD menu,
- 5) IP & CVBS camera test, PTZ controller;
- 6) Rapid ONVIF, auto log in and display image from the camera, activate Hikvision camera
- 7) New- IP and analog testing at the same time , converter test from analog to digital with dual test window IP & CVBS
- 8) New- RJ45 cable TDR test, test cable pair status, length, attenuation, reflectivity, impedance, skew etc
- 9) New- HDMI signal input/output 1080p display image ,record and snapshot
- 10) New- CVBS loop test , the tester send and receive color bar generator signal , to check BNC cable
- 11) New- Customers self update software ,you can install apps with android version , such as Skype, wechat etc
- 12) Built in Wi-Fi ,display image from the wireless camera , create WIFI hotspot
- 13) Language support: English, Chinese, Korean, Russian, Italian , Polish ,Spanish, French or Japanese;

# Model : TM580

7" 5in1 Tester Monitor (Up to 5MP)

## Device Diagram



- 7 inch IPS touch screen, 1280x800resolution



# Model : TM580

## 7" 5in1 Tester Monitor (Up to 5MP)

## Packing List



## Packing list

- 1) Tester
- 2) Adaptor DC12V 2A
- 3) Polymer lithium ion battery (7.4V DC 5400mAh)
- 4) RS485 cable
- 5) Output Power cable
- 6) Audio cable
- 7) Safety cord
- 8) Cable Tester Connector (RJ45)
- 9) Tool bag
- 10) 8GB SD Card
- 11) Manual

Note : All specifications may change without prior notice